



# On-Premises Softmount Washer-Extractors

## SY65, SY80, SY105, SY135

### FEATURES

- Freestanding, high spin (up to 1298 rpm - SY65, SY80)
- 500G extraction speed (SY65, SY80, SY105)
- Stainless steel top and anthracite front and side panel
- Stainless steel drum and tub
- Patented soap hopper
- Large drain valve (Ø 76 mm)
- Easy access to all vital parts from the front
- Large door opening for easy loading & unloading

### OPTIONS

- Prep for coin and Central Pay
- Anthracite grey painted panels
- Stainless steel front and side panels
- USB + RS485 plug
- Liquid soap connection

- Liquid soap pumps
- Steam heating version
- ECO version: lower kW rating on request
- 3<sup>rd</sup> water inlet

### TOUCH CONTROL OPTIONS

- Quantum Touch Control (VEND only) – fully programmable and customizable cycles
  - User-friendly screen with operating instructions built in as part of the control
  - Complete control content available in 34 languages
- Quantum Touch Control (OPL)
  - User-friendly screen with operating instructions built in as part of the control



Approach, program and running cycle screen

-  Easy Operation
-  Ergonomical Construction
-  Large Door Opening
-  Low Water Consumption

# On-Premises Softmount Washer-Extractors

## Specifications

		SY65	SY80	SY105	SY135
<b>INNERDRUM</b>					
Capacity 1:09	kg (lb)	7 (15)	8,5 (19)	12 (26)	15 (33)
Capacity 1:10	kg (lb)	6,5 (14)	7,5 (17)	10,5 (23)	13,5 (30)
Volume	litres	65	75	105	135
Diameter	mm	530	530	620	620
<b>DRUM SPEED</b>					
Wash	rpm	49	49	49	49
Extraction	rpm	1165	1165	1075	1075
<b>G-FACTOR</b>					
400					
<b>HEATING</b>					
Electricity very low-low-std-higher- special 1 -2-3	kW	3-4,6-6-9--7--	3-4,6-6-9--7--	3---9-12-6-7--	3---12-13,8--7-9
Steam	bar	1 - 8	1 - 8	1 - 8	1 - 8
Hot water	°C	90	90	90	90
Sound pressure level	dB (A)	< 65	< 65	< 65	< 65
Water valves connection	BSP	¾"	¾"	¾"	¾"
Water pressure	kPa	100 – 800	100 – 800	100 – 800	100 – 800
Rec. water pressure	kPa	300 – 500	300 – 500	300 – 500	300 – 500
Water inlet	l/min	20	20	20	20
Drain valve	outer Ø mm	76	76	76	76
Flow amount with drain valve	l/min	210	210	210	210
Steam valve connection	BSP	½"	½"	½"	½"
Steam pressure	kPa	100 – 800	100 – 800	100 – 800	100 – 800
<b>DIMENSIONS</b>					
Size HxWxD	mm	1135×710×730	1135×710×780	1245×795×785	1245×795×935
<b>TRANSPORT DATA</b>					
Gross Weight	kg	180	200	235	275
Net Weight	kg	170	185	210	255
Packaging Dimension HxWxD	mm	1265×750×840	1265×750×840	1365×835×840	1365×835×985


# On-Premises Softmount Washer-Extractors

## Dimensions

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	R	S
SY65	710	24	349	1135	582	240	730	642	48	180	940	480	88	230	1030	42
SY80	710	24	349	1135	582	240	780	692	48	180	940	480	88	230	1030	42
SY105	795	24	342	1245	617	240	785	692	48	180	1050	506	88	230	1140	42
SY135	795	24	342	1245	617	240	935	842	48	180	1050	506	88	230	1140	42

	T	U	V	W
SY65	283	390	218	113
SY80	283	390	218	113
SY105	293	475	218	113
SY135	293	475	218	113

All measurements are in mm.



1. Control panel
2. Soap dispenser
3. Central stop button
4. Steam connection
5. Air relieve
6. Liquid soap connection
7. Recycled water inlet
8. Recycled water valve cable inlet
9. Cold water inlet, soft
10. Cold water inlet, hard
11. Electrical connection
12. Hot water inlet
13. Main switch/Field wiring terminal (NA models)
14. Heating change-over switch
15. Liquid soap pump electrical connection
16. Fuses
17. USB port - optional
18. PC programming connection
19. Discharge water cable inlet
20. Drain valve - 3 in. [76 mm]
21. Drain Valve - 1/2", applicable for wash bath sample (on request only)
22. Drain valve or recycle valve - 3 in. [76 mm] (280 L Models only)
23. Hidden USB port (under top cover) - standard

## WESTERN AUSTRALIA

7/15 Walters Drive  
Osbourne Park WA 6017  
T: 08 9445 7744  
[enquiry@speedqueenwa.com.au](mailto:enquiry@speedqueenwa.com.au)

## NEW SOUTH WALES & ACT

245 Rawson Street  
Auburn NSW 2144  
T: 02 9748 2155  
[enquiry@speedqueenlaundry.com.au](mailto:enquiry@speedqueenlaundry.com.au)

## SOUTH AUSTRALIA & NT

385-387 Main North Road  
Enfield SA 5085  
T: 08 7095 0336  
[sa@speedqueenlaundry.com.au](mailto:sa@speedqueenlaundry.com.au)

## QUEENSLAND

2/18 Gravel Pit Road  
Darra QLD 4076  
T: 07 3376 3869 \*Home retail  
[qld@speedqueenlaundry.com.au](mailto:qld@speedqueenlaundry.com.au)